

NC-7060

Desktop Network Appliance Powered by Intel 1037U with 6 GbE LAN, Console, USB and VGA, Wi-Fi and LTE



Overview:

Thank you for choosing the NC-7060. The system is powered by Intel Celeron 1037U Processor, with the Intel NM70 Express Chipset. It supports up to 8GB of DDR3 system memory at 1600/1333/1066MHz on single-channel SO-DIMM banks. The NC-7060 is equipped with advanced I/O capacity which includes an RJ-45 console port, 1 Serial-SATA HDD bay (comply with SATA Standard 2.0), a Mini-PCIE slot and a Compact Flash slot(optional).

Feature:

Integrated Intel 1037U/1.80GHz Dual-Core processor, TDP power consumption 17W

Using Intel® NM70 Express Chipset

Support 1 x console port

Support 2 x USB 2.0

1 x SODDRIII slot, Support 1600/1333/1066MHz memory, maximum support 8GB

1 x Mini-PCIE slot, support WIFI module (Mini-PCIE slot or PCI-E 8X slot is optional)

6 x Intel 82583V Gigabit network card, support Wake on LAN, PXE function

Support DC12V power supply


Specification:

NC-7060

Model No.		NC-7060
Form Factor		Desktop
Platform	Processor Options	Intel 1037U/1.80GHz Dual-Core processor, TDP power consumption 17W
	CPU Socket	Onboard
	Chipset	Intel NM70 Express chipset
OS Support		Windows XP/Windows 7/Linux
BIOS		32Mb Flash ROM
System Memory	Technology	DDR3 1600/1333/1066MHz
	Max. Capacity	8GB
	Socket	1 x SO-DIMM
Networking	Ethernet Ports	6 x Intel 82583V GbE LAN
	Bypass	No

Storage	HDD Bays	1 x 2.5 inch
	CF/SD	1 x CF card slot (alternative to mSATA)
	mSATA/M.2	1 x mSATA socket onboard(alternative to CF card)
I/O Interface	Reset Button	-
	LED	1 x Power LED, 1 x HDD LED
	Power Button	1 x Power Button
	Console	1 x RJ45 Console
	USB	2 x USB 2.0
	LCD Module	N/A
	Display	1 x VGA output
	Power Input	1 x DC Inlet
Expansion	PCIe	N/A
	Mini-PCIe/M.2	1 x Mini PCIe, supporting Wi-Fi module
	SIM	1 x SIM slot
Miscellaneous	Watchdog	Yes
	Internal RTC with Li Battery	Yes
	TPM	Yes
Cooling	Processor	1 x CPU Fan
	System	1 x 4020 System Fan
Environmental Parameters	Temperature	-10~60°C
	Humidity	5% ~ 95%, non condensing
Physical Dimensions	(WxHxD)	255x235x44mm
	Weight	1.75KG
Package Dimensions	(WxHxD)	-
	Weight	-
Power	Type/Watts	60W
	Input	90~264V@47~63Hz
Approvals and Compliance		CE, FCC

System Dimension



Ordering Information

Part number	Chipset	DDR3	1Gb LAN port	Console	USB 2.0	2.5" HDD	PCIe Expansion	Power
NC-7060	Intel NM70	1	6 x Intel 82583V	1	2	1	Optional	DC 12V

Packing List

1	SATA data cable
2	Power cord 3P 180cm, China
3	Rack ears
4	Accessory screw bag

Optional Accessories

1	Power cord 3P 180cm, USA
2	Power cord 3P 180cm, Europe
3	Power cord 3P 180cm, UK
4	Power cord 3P 180cm, Japan
5	Power cord 3P 180cm, India

Contact:

Allen Dai / Sales Manager

Armortec Technology Limited

Email: allen.y.dai@armortec.net

Skype: allen.dai89

Tel: +86 150 1266 9595