

EPC-H46247

Integrated Intel® Haswell-U I7-4510U dual-core four-thread processor, 2 LAN, 1*Mini PCIe Slot and 1*m-SATA slot



Feature:

Fan cooling structure, all aluminum alloy material

Integrated Intel® Haswell-U I7-4510U dual-core four-thread processor, TDP 15W

Support 1 * HDMI display output and 1 * VGA display output

Support 2 * WGI211AT Gigabit network card, support Wake on LAN, PXE function

Support 1 * 6PIN Phoenix terminal, including audio, switch signal


Support 2 * RS232 serial interface

Support 4 * USB2.0 interface, 2 * USB3.0 interface


Specification:**EPC-H46247**

Model		EPC-H46247
Chassis	Color	Iron Gray
	Dimension	197*197*52mm (L*W*H)
	Structure	Full aluminum fanless structure
Processor	CPU	Integrated Intel® Haswell-U I7-4510U dual-core four-thread processor, TDP 15W
Graphics	Graphics	Integrated Intel® HD Graphics 6100
Memory	Memory	1* SO DDR3 slot, support 1600/1333MHz DDR3L/1.35V memory, up to 8GB
Storage	SATA	Support 1*2.5inch HDD
	SSD	Support 1*MSATA SSD
Rear I/O	Audio	1* Line out (green), 1* MIC (red)
	USB	2* USB2.0, 2*USB3.0
	LAN	2* RJ45 Gigabit LAN Port
	Antenna	2* WIFI/3G SMA antenna (optional)
	Power	1* DC 12V input
	Display	1*VGA, 1*HDMI
	Phoenix terminal	1*6 PIN (include sound, switch, RS485 signal)
	Serial Port	2*RS232 COM port
Front I/O	Switch	1*Power switch
	USB	2* USB2.0
	LED	1*HDD LED, 1*Power LED
OS		Support Windows 7, Windows 8, Windows 10, Linux
Power Adaptor	Input	AC 110V~ 220V
	Output	DC 12V
	Type	External power adaptor
Reliability	Installation	Desktop
	Working Temp.	0°C~45°C
	Storage Temp.	-20°C~70°C
	Relative Humidity	5%-95% relative humidity, non-condensing
	Working Vibration	0.5g rms/5-500HZ/random/operating


System Dimension:



Front panel external I / O view



External I / O view of the rear panel



Contact:

Allen Dai / Sales Manager

Armortec Technology Limited

Email: allen.y.dai@armortec.net

Skype: allen.dai89

Tel: +86 150 1266 9595