

EPC-N5660Z-P4

Embedded Fanless Mini Industrial Computer Powered by Intel Core i5 6360U, VGA/HD MI, 2 COM, 6 USB, 6 LAN



Feature:

Full aluminum fanless cooling structure

Integrated Intel® I5-6360U 2.0GHz Dual Core processor, TDP15W

Integrated Intel® HD Graphics 540

6 x RJ45 Gigabit LAN port, LAN3~LAN6 support POE function

2 x DDR3L SODIMM memory slot, support 1600MHz memory, up to 32GB

2 x RS232 COM Ports, COM1/COM2 isolated (COM2 support RS485), 1 x VGA, 1 x HDMI

Specification:**EPC-N5660Z-P4**

| | | |
|---------------|-------------------|--|
| Model | | N5660Z-P4 |
| Chassis | Color | Silver |
| | Dimension | 194mmx155mmx80.5mm |
| | Structure | Full aluminum fanless cooling structure |
| Processor | CPU | Integrated Intel® I5-6360U 2.0GHz dual core processor, TDP15W |
| Graphics | Graphics | Integrated Intel® HD Graphics 540 |
| Memory | Memory | 2 x DDR3L SODIMM memory slot, support 1600MHz memory, up to 32GB |
| Storage | SATA | Support 1 x 2.5" Hard disk |
| | MSATA | Support 1 x MSATA SSD |
| Front I/O | USB | 2 x USB2.0 |
| | Power Switch | 1 x Power switch, 1 x Reset switch |
| | LED | 1 x HDD LED, 1 x Power LED |
| | Expansion | 1 x SIM Slot |
| Rear I/O | LAN | 6 x RJ45 Gigabit LAN port, LAN3~LAN6 support POE function |
| | Display | 1 x VGA, 1 x HDMI |
| | Power | 1 x 2pin power port, support 12V ~36V wide voltage input |
| | Phoenix Terminal | 2 x 6pin, Support 4-In 4-Out GPIO, 5V power input |
| | Audio | 1 x Line-out |
| | COM Ports | 2 x RS232 COM Ports, COM1/COM2 isolated (COM2 support RS485) |
| | USB | 2 x USB3.0, 2 x USB2.0 |
| | Antenna | 2 x WIFI/3G SMA Antenna (optional) |
| Power Adaptor | Input | AC 110V~ 220V |
| | Output | 12V~36V Wide Voltage Input supported |
| | Type | External PSU |
| Reliability | Installation | Desktop or Wall Mounted Installation |
| | Operating Temp. | 10°C ~60°C |
| | Storage Temp. | -20°C ~70°C |
| | Relative Humidity | 5%-95%, no condensing |
| | Vibration | 0.5g rms/5-500HZ/random/operating |



www.armortec.net

Professional industrial PC and network appliance designer and manufacturer.

Order Information

| No. | Model | Processor | Memory | HDD | VGA | HDMI | LAN | COM | USB | WIFI | Power | OS |
|-----|---------------|---------------|--------|-----|-----|------|-----|-----|-----|------|---------|----|
| 1 | EPC-N5660Z-H2 | 6360U/2.0GHz | / | / | 1 | 2 | 2 | 6 | 8 | N/A | DC 12V | / |
| 2 | EPC-N5660Z-P4 | 6360U/2.0GHz | / | / | 1 | 1 | 6 | 2 | 6 | N/A | 12V~36V | / |
| 3 | EPC-N5687Z-P4 | 6287U/3.10GHz | / | / | 1 | 1 | 6 | 2 | 6 | N/A | 12V~36V | / |
| 4 | EPC-N5660Z-U8 | 6360U/2.0GHz | / | / | 1 | 1 | 2 | 2 | 14 | N/A | 12V~36V | / |

Contact:

Allen Dai / Sales Manager

Armortec Technology Limited

Email: allen.y.dai@armortec.net

Skype: allen.dai89

Tel: +86 150 1266 9595